

# MATERIAL SAFETY DATA SHEET

ARCOT Manufacturing Corporation  
2950 Mowery Road  
Houston, Texas 77045-4809

Emergency Telephone:  
(713) 413-9700  
Date Prepared: 07/05/2009

| SECTION I   |  |  |                                |              |
|---|--|--|--------------------------------|--------------|
| <b>Product Identity (Name / Number)</b>           |  | PREMIER LOW TEMP SANITIZER / DESTAINER / PR5003                              |                                |              |
| <b>Chemical Family</b>                            |  | Aqueous Chlorine Cleaning Solution. Hypochlorite solutions, 8, UN1791, PGII. |                                |              |
| SECTION II - Hazardous Ingredients                |  |  |                                |              |
| Hazardous Components                              | OSHA PEL   | ACGIH TLV  | Other Limits Recommended       | % (optional) |
| Sodium Hypochlorite                               | N/A  | N/E  |                                | Proprietary  |
| Sodium Hydroxide                                  | 2mg/m <sup>3</sup>   | 2mg/m <sup>3</sup>   |                                | Proprietary  |
|   |  |  |                                |              |
|   |  |  |                                |              |
|   |  |  |                                |              |
| SECTION III - Physical & Chemical Characteristics |  |  |                                |              |
| <b>Boiling Point</b>                              | Decomposes   | <b>Specific Gravity</b>  | 1.15                           |              |
| <b>Vapor Pressure (mm Hg)</b>                     | 17.5 @20°C   | <b>Melting Point</b>   | N/A                            |              |
| <b>pH</b>   | 12 - 13  | <b>Evaporation Rate (Ethyl Ether=1)</b>                                      | Less than 1                    |              |
| <b>Solubility in Water</b>                        | Complete   | <b>Appearance / Odor</b>   | Clear Yellow Liquid / Chlorine |              |
| SECTION IV - Fire & Explosion Hazard Data         |  |  |                                |              |
| <b>Flammable Limits (Explosive Limit)</b>         | <b>Upper:</b>  | N/A  | <b>Lower:</b>                  | N/A          |
| <b>Flash Point (Method Used)</b>                  | N/A  |  |                                |              |
| <b>Extinguishing Media</b>                        | Nonflammable   |  |                                |              |
| <b>Special Fire Fighting Procedures</b>           | Use water spray from a safe distance to cool fire exposed containers, to dilute liquid, and control vapors. Wear full protection clothing and self-contained breathing apparatus. Fumes and liquid are corrosive and irritant. |  |                                |              |
| <b>Unusual Fire and Explosion Hazards</b>         | An oxidizing agent. Vigorous reactions can occur with oxidizable materials. If safe, remove containers from fire area to prevent pressure rupture.   |  |                                |              |
| SECTION V - Reactivity Data                       |  |  |                                |              |
| <b>Stability:</b>                                 | Unstable   |  | X                              | Stable       |
| <b>Hazardous Polymerization:</b>                  | X  | Will Not Occur   |                                | May Occur    |
| <b>Conditions To Avoid</b>                        | Heat and incompatible materials.   |  |                                |              |
| <b>Incompatibility (Materials to Avoid)</b>       | Any acidic material, ammonia, urea, oxidizable materials, and metals such as nickel, copper, tin, aluminum and iron.   |  |                                |              |
| <b>Hazardous Decomposition or Byproducts</b>      | Chlorine gas.  |  |                                |              |

| <b>SECTION VI(a) - Health Hazard Data</b>  |   |   |                       |
|--|---|---|-----------------------|
| <b>Inhalation</b>  | Vapors cause slight to severe irritation to the respiratory tract. High concentrations may cause sore throat, blistering, coughing, delayed pulmonary edema (swelling of lung tissue) and shortness of breath.  |   |                       |
| <b>Eye</b>   | Corrosive. May cause severe pain, blurred vision, tearing and swelling. Concentrated solutions may cause burning.   |   |                       |
| <b>Skin</b>  | May cause moderate skin irritation. Contact with concentrated solutions may bleach the skin and cause redness, pain, blistering, itchy eczema and possible chemical burns.  |   |                       |
| <b>Ingestion</b>   | May cause pain and inflammation of the mouth, throat, esophagus, and stomach. Can cause erosion of mucous membranes, especially in the stomach.   |   |                       |
| <b>Reported As Potential Carcinogen or Carcinogen</b>  |   |   |                       |
|  | <b>International Agency for Research on Cancer</b>  | X | <b>Not Applicable</b> |
|  | <b>National Toxicology Program</b>  |   | <b>OSHA</b>           |
| <b>SECTION VI(b) - First Aid Procedures</b>  |   |   |                       |
| <b>Inhalation</b>  | Remove victim to fresh air and provide oxygen if breathing is difficult. Give artificial respiration if not breathing. Get medical attention.   |   |                       |
| <b>Eye</b>   | Immediately flush eyes with plenty of water for at least 15 minutes, while holding eyelids open. Get medical attention.   |   |                       |
| <b>Skin</b>  | Immediately remove contaminated clothing or shoes, wipe excess from skin and flush with plenty of water for at least 15 minutes. Use soap if available or follow by washing with soap and water. Do not reuse clothing until thoroughly cleaned. Get medical attention.                                     |   |                       |
| <b>Ingestion</b>   | Never give anything by mouth to an unconscious person. If conscious and alert, give large quantities of water or milk. Do not induce vomiting. Seek medical attention.  |   |                       |
| <b>SECTION VI(c) - Employee Protection</b>   |   |   |                       |
| <b>Respiratory Protection (Utilize NIOSH approved respirators. Refer to manufacturer's protection factors and OSHA standard 1910.134 as a guideline.)</b> If TLV of hazardous ingredients is exceeded, use NIOSH approved respirators. |   |   |                       |
| <b><u>SPECIAL PROTECTION INFORMATION:</u></b>  |   |   |                       |
| <b>EYE</b>   | Wear chemical goggles or full face shield.  |   |                       |
| <b>SKIN</b>  | Wear chemical resistant gloves (PVC) and clothing (coveralls), boots, etc. to avoid skin contact.   |   |                       |
| <b>VENTILATION</b>   | Local exhaust recommended.  |   |                       |
| <b>SPECIAL PROTECTION</b>  | Eye wash fountains and safety showers should be available for emergencies.  |   |                       |
| <b>SECTION VII - Special Precautions</b>   |   |   |                       |
| <b>Handling and Storage</b>  | Keep container(s) tightly closed when not in use. Store in a cool (below 85°F), dry, well ventilated area away from direct sunlight, heat, and incompatible materials. Protect containers from physical damage. This product degrades with age and/or heat.   |   |                       |
| <b>Other Precautions</b>   |   |   |                       |
| <b>SECTION VIII - Environmental Protection</b>   |   |   |                       |
| <b>Spills / Releases</b>   | Contain material. Place collected material in a disposal container. Prevent liquid from entering sewers or water ways. Do not use combustible absorbents. When necessary, this product can be neutralized with weak reducing agents. Clean up personnel should use protective equipment to prevent contact. |   |                       |
| <b>Waste Disposal Method</b>   | Dispose of waste materials according to all local, state and federal laws.  |   |                       |

**DISCLAIMER**

The information contained herein is based upon data available to us and reflects our best professional judgment. Since it is impossible to anticipate the conditions under which our products may be used, we cannot guarantee that the recommendations will be adequate for all individuals and situations. Each user of this product should determine the suitability of the product for his particular purpose and should comply with all federal, state and local regulations. Our

goal is to manufacture products with zero or minimal hazards. Our products are improved daily as up-to-date information and research is received from our suppliers to use products with less or no hazards. Please feel free to contact us for current information.